

Assessment of ASHAs at the completion of Module 9A : Assess and classify sick child

(Score 20 – 1 point for each correct answer) (Use Case Management Chart as guide)

1. Encircle the danger signs from the following -

Not able to drink or breastfeed

Baby having cold

Lethargic / unconscious

Convulsions

Baby having bruises

Loose motion once a day

Vomits everything

Baby's temperature 97.6°F

2. Classify following breathing as normal or fast breathing

2 month old baby has 48 breaths per minute

normal / fast breathing

3 year old baby has 51 breaths per minute

normal / fast breathing

1 year old baby has 35 breaths per minute

normal / fast breathing

3. Match the following by drawing lines to connect the correct pairs

persistent diarrhoea

child with fever has stiff neck

very severe febrile disease

a child has blood in stool

severe pneumonia

child has diarrhoea for 16 days

dysentery

child with chest in-drawing

4. For the following conditions tick (✓) in the appropriate box –

	No dehydration	Some dehydration	Severe dehydration
Sunken eyes and skin pinch returns to normal very slowly			
Sunken eyes and skin pinch returns to normal slowly			
Eyes not sunken and skin pinch returns to normal very fast			

Name of the ASHA : _____

Date : _____

Name of the trainer : _____

Total score : _____

Block : _____

5. Assess and classify following children –

- a. One year old baby has no cough, no diarrhoea and has visible severe wasting.

- b. Baby 9 month old has no cough or fever. Baby has severe pallor.

- c. Child four year old has cough and breathing rate 43 and no signs of very serious disease.

- d. Weight of a 20 months old baby 7.5 Kg. The baby does not have diarrhoea, fever or cough.

6. Write immunizations needed for the following babies

- a. 10 month old baby has been given BCG, 3 doses of polio and 3 doses of DPT.

- b. 2 month old baby has received BCG and Polio -1.

Answers to Assessment of ASHAs at the completion of Module 9A : Assess and classify sick child

(Score 20 – 1 point for each correct answer) (Use Case Management Chart as guide)

1. Encircle the danger signs from the following -

Not able to drink or breastfeed

Baby having cold

Lethargic / unconscious

Convulsions

Baby having bruises

Loose motion once a day

Vomits everything

Baby's temperature 97.6°F

2. Classify following breathing as normal or fast breathing

2 month old baby has 48 breaths per minute

normal / fast breathing

3 year old baby has 51 breaths per minute

normal / **fast breathing**

1 year old baby has 35 breaths per minute

normal / fast breathing

3. Match the following by drawing lines to connect the correct pairs

persistent diarrhoea

child with fever has stiff neck

very severe febrile disease

a child has blood in stool

severe pneumonia

child has diarrhoea for 16 days

dysentery

child with chest in-drawing

4. For the following conditions tick (✓) in the appropriate box –

	No dehydration	Some dehydration	Severe dehydration
Sunken eyes and skin pinch returns to normal very slowly			✓
Sunken eyes and skin pinch returns to normal slowly		✓	
Eyes not sunken and skin pinch returns to normal very fast	✓		

5. Assess and classify following children –

- a. One year old baby has no cough, no diarrhoea and has visible severe wasting.

Severe malnutrition

- b. Baby 9 month old has no cough or fever. Baby has severe pallor.

Severe anaemia

-
- c. Child four year old has cough and breathing rate 43 and no signs of very serious disease.

Pneumonia

- d. Weight of a 20 months old baby 7.5 Kg. The baby does not have diarrhoea, fever or cough.

Low weight for age

6. Write immunizations needed for the following babies

- a. 10 month old baby has been given BCG, 3 doses of polio and 3 doses of DPT.

Measles

- b. 2 month old baby has received BCG and Polio -1.

DPT 1