

---

## Assessment of ASHAs at the completion of Module 9B : Identifying treatment and giving treatment before referral

(Score 20 – 1 point for each correct answer) (Use Case Management Chart as guide)

1. Write for each of the following whether the baby has general danger sign (encircle correct answer)
  - a. A 12 month old baby has chest indrawing      Yes / No
  - b. A baby 1 year old is unconscious      Yes / No
  - c. A baby 6 month old is having convulsions      Yes / No
  - d. A 2 year old baby is having fast breathing      Yes / No
2. Match the following by drawing lines to connect the correct pairs

|             |                    |
|-------------|--------------------|
| Pneumonia   | Immunization       |
| Polio       | ORS solution       |
| Anaemia     | Paracetamol        |
| Dehydration | Cotrimoxazole      |
| Fever       | Iron folic tablets |
3. What should be given to each of the following baby (Encircle the correct answer)
  - a. A two year old baby has cough since 30 days. She has no other problem.  
give home remedy / refer to hospital
  - b. A 7 month old baby has persistent diarrhoea for more than 14 days. No other problem  
refer to hospital / give ORS solution
  - c. A 3 year old baby has some palmar pallor and no other problem  
Give iron folic tablets for 14 days and advice on diet / refer to hospital
4. Encircle the three rules of home care during diarrhoea  
give more fluids to baby / give paracetamol / follow up  
refer immediately / continue to feed the baby / give iron folic

Name of the ASHA : \_\_\_\_\_

Date : \_\_\_\_\_

Name of the trainer : \_\_\_\_\_

Total score : \_\_\_\_\_

Block : \_\_\_\_\_

---

5. Write immunizations needed for the following babies

a. 6 week old baby has been given BCG and Polio -1

---

b. 9 month old baby has received BCG and Polio -3, DPT-3 and vitamin A.

---

6. How much ORS (by cup) is needed every 4 hours for the following babies who have some dehydration?

a. A baby is 3 months old and his weight is 5.5 Kg.

---

b. A baby is 3 years old and her weight is 14 Kg.

---

c. A baby is 15 months old and his weight is 10 Kg.

---

---


## Answers to Assessment of ASHAs at the completion of Module 9B : Identifying treatment and giving treatment before referral

(Score 20 – 1 point for each correct answer) (Use Case Management Chart as guide)

1. Write for each of the following whether the baby has general danger sign (encircle correct answer)

- a. A 12 month old baby has chest indrawing      Yes / **No**
- b. A baby 1 year old is unconscious      **Yes** / No
- c. A baby 6 month old is having convulsions      **Yes** / No
- d. A 2 year old baby is having fast breathing      Yes / **No**

2. Match the following by drawing lines to connect the correct pairs



3. What should be given to each of the following baby (Encircle the correct answer)

- a. A two year old baby has cough since 30 days. She has no other problem.  
give home remedy / **refer to hospital**
- b. A 7 month old baby has persistent diarrhoea for more than 14 days. No other problem  
**refer to hospital** / give ORS solution
- c. A 3 year old baby has some palmar pallor and no other problem  
**Give iron folic tablets for 14 days and advice on diet** / refer to hospital

4. Encircle the three rules of home care during diarrhoea

- give more fluids to baby** / give paracetamol / **follow up**  
refer immediately / **continue to feed the baby** / give iron folic

5. Write immunizations needed for the following babies

- a. 6 week old baby has been given BCG and Polio -1  
**DPT 1**
- b. 9 month old baby has received BCG and Polio -3, DPT-3 and vitamin A.  
**Measles**

---

6. How much ORS (by cup) is needed every 4 hours for the following babies who have some dehydration?

a. A baby is 3 months old and his weight is 5.5 Kg.

**2 cups**

b. A baby is 3 years old and her weight is 14 Kg.

**7 cups**

c. A baby is 15 months old and his weight is 10 Kg.

**5 cups**